

ЛИТЕРАТУРА

К разделу ОПУХОЛЕВАЯ ПРОГРЕССИЯ

1. Foulds L. Mammary tumors in hybrid mice: growth and progression of spontaneous tumors. – Brit. J. Cancer, 1949, vol. 3, p. 345-375.
2. Воробьев А.И., Пяткин Е.К. Опухолевая прогрессия при лейкозах и ретикулезах. В кн. Генетика в гематологии. И.А.Кассирский, А.И.Воробьев и др. Л, 1967.
3. Шапот В.С. Биохимические основы опухолевой прогрессии. М.Медицина, 1977
4. Юргутис Р.П. Опухолевая прогрессия при хроническом миелолейкозе. Тер. Архив, 1968; Т.15: стр. 82-91.
5. Захарова А.В., Корневская М.И., Р.А.Мокеева и др. Хромосомные комплексы у больных лейкозами, эритремией, миелофиброзом. Проблемы гематологии и переливания крови, 1971, №5, стр.3–6.
6. Воробьев А.И. Опухолевая прогрессия. в кн. Руководство по гематологии под ред. Воробьева А.И., 1985, Т. 1
7. Kaplan H.S. Hodgkin's disease.- Harvard: Cambridge, 1972

К разделу ЦИТОГЕНЕТИЧЕСКИЕ МЕТОДЫ ИССЛЕДОВАНИЯ

1. Neri A, Barriga F, Knowles DM, et al. Different region of the immunoglobulin heavy-chain locus are involved in chromosomal translocations in distinct pathogenetic forms of Burkitt lymphoma. Proc Natl Acad Sci USA, 1988, 85: 2748–2752.
2. Т.Н.Обухова, Ю.Ю.Лорие, Л.А.Водинская, Г.А.Алимова, Е.А.Никитин, Р.С.Самойлова, И.Б.Капланская, Е.В.-Домрачева. Цитогенетика лимфомы из клеток мантийной зоны. Тер. Архив, 2004, № 7, стр 70–77.
3. Knutsen T. Cytogenetic mechanisms in the pathogenesis and progression of follicular lymphoma. Cancer Surv, 1997, 30: 163–192.
4. B.J. Dave, M.Nelson, D.L. Pickering et al. Cytogenetic characterization of diffuse large cell lymphoma using multi-color fluorescence in situ hybridization. Cancer Genet Cytogenet, 2002, 132: 125–132.
5. Auer IA, Gascoyne RD, Connors JM, et al. t(11;18)(q21;q21) is the most common translocation in MALT lymphomas. Ann Oncol 1997; 8: 979±985.
6. Brito-Babapulle V, Pomfret M, Matutes E, Catovsky D. Cytogenetic studies on prolymphocytic leukemia. II. T-cell prolymphocytic leukemia. Blood, 1987, 70: 926 –931.
7. А. И. Захарова, Т.Н. Обухова, Ю.Ю. Лорие, Е.А. Никитин, Р.С. Самойлова, Б.В. Зингерман, Е.В. Домрачева. Цитогенетические нарушения при хроническом В-клеточном лимфолейкозе и их связь с клинико-биологическими особенностями и прогнозом заболевания. Терапевтический архив, 2006, № 7, С. 57-62.
8. Зубашева Е.И., Обухова Т.Н., Андреева Н.Е. Водинская Л.А., Алимова Г.А., Варламова Е.Ю., Куликов С.М., Домрачева Е.В. Прогностическое значение хромосомных aberrаций при множественной миеломе. Гематология и трансфузиология (в печати)

К разделу МОЛЕКУЛЯРНО-БИОЛОГИЧЕСКИЕ МЕТОДЫ В ДИАГНОСТИКЕ ЛИМФАТИЧЕСКИХ ОПУХОЛЕЙ

1. Alizadeh AA, Eisen MB, Davis RE, et.al. Distinct types of diffuse large B-cell lymphoma identified by gene expression profiling. Nature. 2000 Feb 3;403(6769):503–11.
2. Rosenwald A, Wright G, Leroy K, et.al. Molecular diagnosis of primary mediastinal B cell lymphoma identifies a clinically favorable subgroup of diffuse large B cell lymphoma related to Hodgkin lymphoma. J Exp Med. 2003 Sep 15;198(6):851–62.
3. Rosenwald A, Wright G, Wiestner A, et.al. The proliferation gene expression signature is a quantitative integrator of oncogenic events that predicts survival in mantle cell lymphoma. Cancer Cell. 2003 Feb;3(2):185–97.
4. Yeoh EJ, Ross ME, Shurtleff SA, et.al. Classification, subtype discovery, and prediction of outcome in pediatric acute lymphoblastic leukemia by gene expression profiling. Cancer Cell. 2002 Mar;1(2):133–43.
5. Ferrando AA, Armstrong SA, Neuberg DS, et.al. Gene expression signatures in MLL-rearranged T-lineage and B-precursor acute leukemias: dominance of HOX dysregulation. Blood. 2003 Jul 1;102(1):262–8.
6. Zhan F, Hardin J, Kordsmeier B, et.al. Global gene expression profiling of multiple myeloma, monoclonal gammopathy of undetermined significance, and normal bone marrow plasma cells. Blood. 2002 Mar 1;99(5):1745–57.
7. Zhan F, Tian E, Bumm K, et.al. Gene expression profiling of human plasma cell differentiation and classification of multiple myeloma based on similarities to distinct stages of late-stage B-cell development. Blood. 2003 Feb 1;101(3):1128–40.

К разделу ИММУНОХИМИЧЕСКИЕ МЕТОДЫ ИССЛЕДОВАНИЯ МОНОКЛОНАЛЬНОЙ СЕКРЕЦИИ

1. Варламова Е.Ю., Чернохвостова Е.В. Метод иммунофиксированного электрофореза в диагностике парапротеинемий. Лаб. Дело, 1986; 7: 435–438.
2. Чернохвостова Е.В., Герман Г.П. Иммунохимическая диагностика гаммапатий: методические рекомендации. М., 1984
3. Варламова Е.Ю. Иммунохимические методы исследования в гематологии в кн. Руководство по гематологии, Т 1: 129–137.
4. Варламова Е.Ю. Иммунохимическая диагностика парапротеинемий. в кн. Клиническая онкология под ред. Волковой М.А. М.Медицина, 2001; 411–120.

К разделу ДИАГНОСТИЧЕСКИЕ ВОЗМОЖНОСТИ СЦИНТИГРАФИИ С ИСПОЛЬЗОВАНИЕМ ГАЛЛИЯ –67 ЦИТРАТА

1. Notghi A., Harding L.K. What's happening in tumor imaging? Advances in cancer therapy. 1994. – N 6. – P. 5 – 8
2. Abrahamsen AF, Lien HH, Aas M, Winderen M, Hager B, Kvaloy S, Eljjo RF, Nome O. Magnetic resonance imaging and ⁶⁷Gallium scan in mediastinal malignant lymphoma: a prospective pilot study. Ann Oncol. – 1994. – Vol. 5. – № 5. – P. 433–436.
3. Коврыжкина Т.А., Ильин Н.В. Диагностическое значение позитивной сцинтиграфии с ⁶⁷Ga -цитратом для оценки эффективности облучения внутригрудных лимфатических узлов у больных лимфогранулематозом. Мед. радиология. – 1990. – Т.35, №9. – С.11.
4. Корытова Л.И., Коврыжкина Т.А., Семич В.Н., Козлов А.А., Митрофанов Н.А. Рентгенорадионуклидная оценка эффективности лучевой терапии лимфогранулематоза. Мед. радиол. – 1992. – Т.37, № 3–4. – С.25.
5. Huys J, Schelstraete K, Simons M. Ga-67 imaging in Hodgkin's disease. Clin Nucl Med. – 1982. – Vol. 7. – № 4. – P. 174–179.
6. Brice P, Rain JD, Frija J, Miaux Y, Marolleau JP, Tredaniel J, Ferme C, Hennequin C, Gisselbrecht C. Residual mediastinal mass in malignant lymphoma: value of magnetic resonance imaging and gallium scan. Nouv Rev Fr Hematol. – 1993. – Vol. 35. – № 4. – P.457–61
7. Burns DE, Schiffman FJ. Beguiled by the gallium. Thymic rebound in an adult after chemotherapy for Hodgkin's disease. Chest. – 1993. – Vol. 104. – № 6. P.1916–1919

К разделу ХРОНИЧЕСКИЕ ЛИМФОЛЕЙКОЗЫ

1. А.И.Воробьев, М.Д.Бриллиант. Хронический В-лимфолейкоз: А.И.Воробьев (ред.) Руководство по гематологии. М: Медицина, 1985.
2. Rai KR, Sawitsky A, Cronkite EP, et al. Clinical staging of chronic lymphocytic leukemia. Blood 1975; 46: 219 - 234.
3. Binet JL, Lepoprier M, Dighiero G, Charron D, D'Athis P, Vaugier G, Beral HM, Natali JC, Raphael M, Nizet B, Follezo JY. A clinical staging system for chronic lymphocytic leukemia: prognostic significance. Cancer 1977; 40: 855 -64.
4. Dohner H, Stilgenbauer S, James MR, Benner A, Weilguni T, Bentz M, Fischer K, Hunstein W, Lichter P. 11q deletions identify a new subset of B-cell chronic lymphocytic leukemia characterized by extensive nodal involvement and inferior prognosis. Blood 1997;89: 2516 - 22.
5. Никитин Е.А., А.В.Пивник, А.Б.Судариков, Г.М.Валова, Н.Г.Габеева, Р.С.Самойлова, Д.В.Иванов, А.Л.Меликян, Л.Г.Ковалева. Сравнение форм хронического лимфолейкоза в зависимости от мутационного статуса генов варибельного региона иммуноглобулинов. Тер. архив 2000, 72: 52 – 56.
6. Mainou-Fowler T, Dignum H, Taylor PR, Dickinson AM, Saunders PW, Proctor SJ, Summerfield GP. Quantification improves the prognostic value of CD38 expression in B-cell chronic lymphocytic leukaemia. Br J Haematol 2002; 118: 755 - 61.
7. Яхнина Е.И., Никитин Е.А., Асцатуров И.А., Варламова Е.Ю., Кобзев Ю.Н., Ковалева Л.Г., Кременецкая А.М., Меликян А.Л., Пивник А.В., Самойлова Р.С., Воробьев А.И. Доброкачественная форма ХЛЛ. Тер архив 1997; 69: 11 – 17.
8. Rai KR, Peterson BL, Appelbaum FR, Kolitz J, Elias L, Shepherd L, Hines J, Threatte GA, Larson RA, Cheson BD, Schiffer CA. Fludarabine compared with chlorambucil as primary therapy for chronic lymphocytic leukemia. N Engl J Med 2000; 343: 1750 - 7.
9. Schulz H, Klein SK, Rehwald U, Reiser M, Hinke A, Knauf WU, Aulitzky WE, Hensel M, Herold M, Huhn D, Hallek M, Diehl V, Engert A. Phase 2 study of a combined immunochemotherapy using rituximab and fludarabine in patients with chronic lymphocytic leukemia. Blood 2002; 100: 3115 - 20.
10. Montserrat E. Natural history of chronic lymphocytic leukemia Implications for clinical management. Hematologica 2002; 87; suppl. II: 9 – 11.

К разделу ВОЛОСАТОКЛЕТОЧНЫЙ ЛЕЙКОЗ

1. Bouroncle B.A., Wiseman B.K., Doan C.A. "Leukemic reticuloendotheliosis" Blood 1958, 13:609–630

2. Руководство по гематологии под редакцией академика А.И.Воробьева, изд третье, М: Ньюдиамед; 2003, т 2:69–82
3. Clavel J., Flandrin G. "Epidemiology of hairy cell leukemia" in Hairy cell leukemia (eds Tallman M. & Polliack A.) Harwood, The Netherlands, 2000; 65–72
4. Jansen J, Hermans J "Splenectomy in hairy cell leukemia: a retrospective multicenter analysis" *Cancer* 1981; 47: 2066–2069
5. Mercieca J, Puga M, Matutes E et al. "Incidence and significance of abdominal lymphadenopathy in hairy cell leukemia" *Leukemia & Lymphoma* 1994; 14(sup 1): 79–83
6. Matutes E, Wotherspoon A, Catovsky D. "The variant form of hairy cell leukemia" in *Best Practice & Research Clinical Haematology* 2003; Vol. 16, No. 1:41–56
7. Golomb HM, Catovsky D & Golde D. "Hairy cell leukemia: a clinical review based on 71 cases" *Annals of Internal Medicine* 1978; 89: 677–683
8. Neste E., Ravoet C. & Delannoy A. "Unusual manifestations of hairy cell leukemia" in Hairy cell leukemia (eds Tallman M. & Polliack A.) Harwood, The Netherlands, 2000; 85–106
9. Yam LT, Li CY & Lam KW. "Tartrate-resistant acid phosphatase isoenzyme in the reticulum cells of leukemic reticuloendotheliosis" *New England Journal of Medicine* 1971; 284: 357–360
10. Foon K.A., Todd R.F. "Immunologic classification of leukemia and lymphoma" *Blood* 1986; 68:1–31
11. Jasionowsky C et al. "Analysis of CD10+ hairy cell leukemia" *Am J Clin Pathol* 2003; 120: 228–235
12. Sambani C, Trafalis DT, Mitcoulis-Mentzikoff et al. "Clonal chromosome rearrangements in hairy cell leukemia: personal experience and review of literature" *Cancer Genetics and Cytogenetics* 2001; 129: 138–144
13. Valliantou K, Brito-Babapulle V, Vatutes E et al. "p53 gene deletion and trisomy 12 in hairy cell leukemia and its variant" *Leukemia Research* 1999; 23: 1041–1045
14. Andrey J & Saven A. "Therapeutic advances in the treatment of hairy cell leukemia" *Leukemia Research* 2001; 25: 361–368
15. Smalley RV, Cjnnjrs J, Tuttle RL et al. "Splenectomy versus alpha-interferon: a randomized study in patients with previously untreated hairy cell leukemia" *Am J of Hematol* 1992; 41: 13–18
16. Руководство по клинической онкогематологии под редакцией проф. М.А.Волковой, М: Медицина; 396–410
17. Аль-Ради Л.С., Моисеева Т.Н., Зыбунова Е.Е. и соавт. «Лекарственное лечение волосатоклеточного лейкоза» Тезисы XII международной специализированной выставки Аптека 2005, стр 46.
18. Catovsky D, Matutes E, Talavera JG et al. "Long-term results with 2'-deoxycoformycin in hairy cell leukemia" *Leukemia & Lymphoma* 1994; 14: 109–113.
19. Saven A, Burian C, Koziol JA & Piro LD" Long-term follow-up of patients with hairy cell leukemia after cladribine treatment" *Blood* 1998; 92: 1918–1926.

К разделу МИЕЛОМНАЯ БОЛЕЗНЬ

1. Kahler O. Zur Symptomatologie des multiples Myeloms Beobachtung von Albumosurie. *Prager Med Wochenschr (Prague)* 1889; 14:33–45.
 2. Андреева Н.Е. Диагностика и лечение множественной миеломы. М: Ньюдиамед АО; 1998
 3. Ludwig H., Meran J, Zojer N. Multiple myeloma: an update on biology and treatment. *Ann. Oncol.* 1999; 10 (suppl. 6): 31–43.
 4. Fonseca R., Coignet L., Dewald G. Cytogenetic abnormalities in multiple myeloma. – *Hematology/Oncology clinics of North America* 1999; 13(6): 1169–1180.
- Андреева Н. Е., Балакирева Т. В., в Руководстве по гематологии под ред. А И. Воробьева, 2003, т. 2.

К разделу ФОЛИКУЛЛЯРНАЯ ЛИМФОМА

1. Руководство по гематологии. Под редакцией А.И. Воробьева. Ньюдиамед, Москва, 2003; 2:82-85.
2. Brill NE, Baehr G. and Rosenthal N. Generalized giant lymph follicle hyperplasia of lymph nodes and spleen/ A hitherto undescribed type. *JAMA*, 1925;2: 668-71.
3. Becker E., Ein Beitrag zur lehre von den lymphomen. *Deutsch Med Wchnschr* 1917;27:726-8.
4. Symmers D. Giant follicular lymphadenopathy with or without splenomegaly. *Arch Pathol.* 1938;26: 603-47.
5. Antonson B., 2001, Martinou JC, Green DR, 2001, Fleury C, 2002, Rudner J, 2002, Breckenridge DG, 2003.
6. Scorrano L, Oakes SA, Opferman JT, Cheng EH, Sorcinelli MD, Pozzan T, Korsmeyer SJ. BAX and BAK regulation of endoplasmic reticulum Ca²⁺: a control point for apoptosis. *Science*. 2003 Apr 4;300(5616):135-9. Epub 2003 Mar 6.
7. Li YS, et al., 1993). YS Li, K Hayakawa, and RR Hardy The regulated expression of B lineage associated genes during B cell differentiation in bone marrow and fetal liver *J. Exp. Med.*, Sep 1993; 178: 951 - 960.
8. (Notidis E., et al., 2001). Notidis E, Hande S, Manser T. Enforced expression of Bcl-2 selectively perturbs negative selection of dual reactive antibodies. *Dev Immunol.* 2001;8(3-4):223-34.
9. Jaffe ES., Harris NL., Stein H. et al. World Health Organization Classification of tumors. Pathology and Genetics of tumors of Haematopoietic and Lymphoid Tissues, IARCPress, Lyon, 2001.

- 10.N. Engl. J. Med., 1993; 329: 987-994.
- 11.Solal-Celigny P, Roy P, Colombat P, et al. Follicular lymphoma international prognostic index. Blood. 2004 Sep 1;104(5):1258-65. Epub 2004 May 4.

К разделу ЛИМФОМА ИЗ КЛЕТОК МАНТИЙНОЙ ЗОНЫ

1. Lennert K., Stein H., Kaiserling E. Cytological and functional criteria for the classification of malignant lymphoma. Br J Cancer 1975;31:29-43
2. Лорие Ю.Ю. Лимфома из клеток мантийной зоны: клинические формы, морфологические варианты, диагностика и лечение. Автореф. Канд. Дисс. Москва 2005
3. Williams M.E., Densmore J.J. Biology and therapy of mantle cell lymphoma Curr Opin Oncol 2005;17:425-431
4. Обухова Т.Н., Лорие Ю.Ю., Водинская Л.А., и соавт. Цитогенетика лимфомы из клеток мантийной зоны. Тер архив, 2004, № 7, стр. 70-77
5. Berard C.W., Dorfman R.F. Histopathology of malignant lymphomas. Clin Hematol 1974;3:39
6. Cornes J.S., Multiple lymphomatous polyposis of the gastrointestinal tract. Cancer 1961;14:249-257
7. Vandenberghe E., Ruiz de Elvira C., Loberiza F.R., et al. Outcome of autologous transplantation for mantle cell lymphoma: a study by the European Blood and Bone Marrow Transplant and Autologous Blood and Marrow Transplant Registries. Br J Haematol 2003;120:793-800
8. Howard O.M., Gribben J.G., Neuberger D.S., et al. Rituximab and CHOP Induction Therapy for Newly Diagnosed Mantle-Cell Lymphoma: Molecular Complete Responses Are Not Predictive of Progression-Free Survival. J Clin Oncol 2002;20:1288-1294
9. Freedman AS, Neuberger D, Gribben JG, Mauch P, Soiffer RJ, Fisher DC, Anderson KC, Andersen N, Schlossman R, Kroon M, Ritz J, Aster J, Nadler LM. High-dose chemoradiotherapy and anti-B-cell monoclonal antibody-purged autologous bone marrow transplantation in mantle-cell lymphoma: no evidence for long-term remission. J Clin Oncol. 1998 Jan;16(1):13-8.
- 10.Romaguera J.E., Fayad L., Rodriguez M.A., et al. High Rate of Durable Remissions After Treatment of Newly Diagnosed Aggressive Mantle-Cell Lymphoma With Rituximab Plus Hyper-CVAD Alternating With Rituximab Plus High-Dose Methotrexate and Cytarabine. Published Ahead of Print on September 6, 2005 as 10.1200/JCO.2005.01.1825

К разделу ЛИМФОЦИТОМА СЕЛЕЗЕНКИ

1. Hickling R.A Giant follicle lymphoma of the spleen. A condition closely related to lymphatic leukemia but apparently curable by splenectomy Br Med J. 1964; 26-2(5412): 787-90.
2. Duhamel G, Najman A, Gorin NC, Stachowiak J. Lymphomas of the spleen and bone marrow lymphoid nodules. Bibl Haematol. 1978; 45: 71-80.
3. Воробьев А.И., Бриллиант М.Д.. Лимфоцитома селезенки и классификация лимфоцитом. Тер.архив, 1982; 8: 8-14.
4. Rappoport H., Braylan R. Changing concepts in the classification of malignant neoplasms of the hemopoetic system. In: Rebeck J., Berard C.W., Abell M.R. et al. The reticuloendothelial system. Baltimore: Williams&Wilkins, 1975: 1-19, International Academy of Pathology, Vol 16
5. Harris N., Jaffe E, Stein H. et al. A revised European-American classification of lymphoid neoplasms: a proposal from the International Lymphoma Study Group.// Blood. – 1994. – Vol. 84. – P. 1361-1392.
6. Harris N., Jaffe E., Diebold J. et al. World health organisation classification of neoplastic disease of the hematopoetic and lymphoid tissues: report of the clinical advisory committee meeting – Airline house. Virginia, November 1997.// J. Clin. Oncol. – 1999. – Vol. 17. – P. 3835-3849.
7. Руководство по гематологии (под ред. А.И.Воробьева), М., 1985
8. Руководство по гематологии /под ред. А. И. Воробьева, – М.; 2003. – Т2. – С. 92-93.
9. Яхнина Е.И., Асцатуров И.А., Аль-Ради Л.С. и др. Лимфоцитома селезенки – отдельная нозологическая форма, требующая специфической тактики ведения. Тер. Архив, 1996; 7: 48-58.
- 10.Воробьев А.И., Яхнина Е.И., Самойлова Р.С. Принципы дифференциальной диагностики зрелоклеточных лимфатических опухолей. Тер.архив, 1995; 7: 3-8.
- 11.Асцатуров И.А., Самойлова Р.С., Яхнина Е.И. и др. Роль иммунофенотипирования в дифференциальной диагностике хронического лимфолейкоза и лимфоцитомы селезенки. Пробл. гематол. и переливан. крови, 1996; 3: 24-29.

К разделу ДИФFUЗНАЯ В-КРУПНОКЛЕТОЧНАЯ ЛИМФОСАРКОМА С ПЕРВИЧНЫМ ПОРАЖЕНИЕМ ПЕРИФЕРИЧЕСКИХ, ВИСЦЕРАЛЬНЫХ ЛИМФОУЗЛОВ, ВАЛЬДЕЙЕРОВА КОЛЬЦА И СЕЛЕЗЕНКИ

1. Воробьев А.И. Руководства по гематологии.- М.: Ньюдиамед; 2003.-Т.2, С.55, 98-100.
2. Магомедова А.У., Кременецкая А.М., Кравченко С.К. Диффузная В-крупноклеточная лимфосаркома. Диагностические критерии, алгоритм обследования и основные программы лечения.-Проблемы гематологии, 2004, № 2, С. 26-28.
3. Harris N. L, Jaffe E.S, Diebold J, et al. World Health Organization Classification Diseases of the Hematopoetic and

- Lymphoid Tissues: Report of the Clinical Advisory Committee Meeting – Airlie House, Virginia, November 1997. J. of Clinical Oncology.- 1999.- V. 17, N 12.- P. 3835-3849.
4. Шустров Н. М., Владос Х. Х. Клиническая гематология - Государственное издательство, 1927, С.176—199.
 5. Barrans S, Connor S, Evans P et al. Rearrangement of the BCL-6 locus at 3q27 is an independent poor prognostic factor in nodal diffuse large B-cell lymphoma. British J. Hematology.- 2002.- Vol. 117.- P. 322-332.
 6. Shipp M.A, Ross K.N, Tramayo P et al. Diffuse large B-cell lymphoma outcome prediction by gene expression profiling and supervised machine learning. Nature.- 2002.-Vol. 8, N 1.-P.68-74.
 7. Leval L., Harris N. L. Variability in immunophenotype in diffuse large B-cell lymphoma and its clinical relevance. Histopathology. — 2003. — Vol. 43. — P. 509—528.
 8. Gascoyne R, Lamant L, Martin-Subero J et al. ALK – positive diffuse large B-cell lymphoma is associated with Clathrin –ALK rearrangements: report of 6 cases. Blood.- 2003.- Vol.102, N.7.-P. 2568-73.
 9. Bea S., Colomo L., Lopez-Guillermo et al. Clinicopathologic Significance and Prognostic Value of Chromosomal Imbalances in Diffuse large B-Cell Lymphomas. J of Clin Oncol.- 2004.- Vol.22, N 17.-P.3498-3506.
 10. Barrans S., Evans P., Connor S et al.//The t(14;18) is associated with germinal center-derived diffuse large B-cell lymphoma and is a strong predictor of outcome. Clinical Cancer Research.-2003.-V.9.-P.2133-2139.
 11. Магомедова А.У., Кременецкая А.М., Кравченко С.К. и др. Изолированное поражение периферических лимфатических узлов при диффузной В-крупноклеточной лимфосаркоме. - Гематология и трансфузиология, 2006, № 4, С. 10-15.
 12. Kremer M, Spitzer M, Mandl-Weber S et al. Discordant Bone Marrow Involvement in Diffuse Large B-cell Lymphoma: Comparative Molecular Analysis Reveals a Heterogeneous Group of Disorders. Laboratory Investigation. 2003; 83 (1):107-114.
 13. Магомедова А.У., С.К.Кравченко, А.М.Кременецкая, Е.Е.Звонков и др. Эффективность курса СНОР-21 в терапии диффузной В-крупноклеточной лимфосаркомы.- Тер архив, 2005, № 8, С. 58-61.
 14. Магомедова А.У, Кравченко С.К., Кременецкая А.М., Звонков Е.Е. Модифицированная программа NHL-BFM-90 в лечении больных диффузной В-крупноклеточной лимфосаркомой. Тер архив, 2006, №10, С.?

К разделу ПЕРВИЧНАЯ В-КРУПНОКЛЕТОЧНАЯ ЛИМФОСАРКОМА СРЕДОСТЕНИЯ

1. Rappaport H., Machover D., Bearman R., et al. Histopathology of the thymus of patients with acute lymphoblastic lymphoma in complete clinical remission. Blood. – 1981. – V. 58. – P. 852 – 855.
2. Stansfeld A. G., Diebold J., Noel H., et al. Updated Keil classification for lymphomas (published erratum appears in Lancet 1988 Feb 13; 1(8581): 372). Lancet. – 1988. – V. 1. – P. 292 – 293.
3. Lennert K. Histopathology of Non – Hodgkin’s Lymphoma (Based on the Keil Classification). Berlin Heidelberg. – N.Y. – 1981. – P. 123.
4. Lukes R. J., Collins R. D. New approaches to the classification of the lymphomas. Brit. J. Cancer. – 1975. – V. 31. – P. 1 – 28.
5. Руководство по гематологии. Под редакцией А. И. Воробьева. 2 – изд. М. – Москва.– 1985. – Т.1. – С. 336 – 337.
6. Miller J. B., Daina V., Bitra J. T., et al. Diffuse histiocytic lymphoma with sclerosis: A clinicopathologic entity frequently causing superior vena caval obstruction. Cancer. – 1981. – V. 47. – P. 748 – 756.
7. Harris L., Jaffe E. S., Stein H., et al. A Revised European – American classification of lymphoid neoplasms: A proposal from the International Lymphoma Study Group. Blood. – 1994. – V. 84. – N. 5. – P. 1361 – 1392.
8. World Health Organization Classification of neoplastic diseases of the Hemopoietic and lymphoid tissues: report of the Clinical Advisory Committee – Airlie House, Virginia. – 1997.
9. Руководство по гематологии. /Под редакцией А. И. Воробьева. 3 – изд. “Ньюдиамед”. – Москва. – 2003. – Т. 2. – С.40 – 69. 96 – 103.
10. Huret J. I., Brizard A., Babin P., et al. Translocation (8;909q12;p21): A new non – random rearrangement in lymphoid malignancies. Cancer Genet cytogenet. – 1990. – V. 45. – P. 125–129.
11. Joos S., Otona – Joos M. I., Ziegler S., et al. Primary mediastinal (thymic) B – cell lymphoma is characterized by gains of chromosomal material including 9p and amplification of the REL gene. Blood. – 1996. – V. 87. – P 1571–1578.
12. Flores K. G., Li J., Hale L. P. B cells in epithelial and perivascular compartments of human adult thymus. Hum. Pathol. – 2001. – V. 32. – N. 9. – P. 926–934.
13. Джумабаева Б. Т., Воробьев И. А., Капланская И. Б. и др. Морфологические, морфометрические и иммуногистохимические характеристики первичной медиастинальной В-клеточной лимфосаркомы. Тер. архив. – 2003. – № 7. – С. 34–38.
14. Copie-Bergman C, Plonquet A, Alonso M. A, et al. MAL Expression in Lymphoid Cells: Further Evidence for MAL as a Distinct Molecular Marker of Primary Mediastinal Large B-Cell Lymphomas. Mod. Pathol. – 2002. – V.15. – N. 11. – P. 1172 – 1180.
15. Tsang P., Cesarman E., Chadburn A. et al. Molecular characterization of primary mediastinal B cell lymphoma. Am. J. Pathol. – 1996. – V. 148. – P. 1017–2025.

16. Lazzarino M. Management of primary mediastinal B-cell lymphoma with sclerosis: advances and caveats. *Haematologica*. – 2002. – V. 87. – P. 1238–1239.
17. Zinzani P. L., Martelli M., Bendandi M., et al. Induction chemotherapy strategies for primary mediastinal large B – cell lymphoma with sclerosis: a retrospective multinational study on 426 previously untreated patients. *Haematologica*. – 2002. – V. 87. – N. 12. – P. 1258–1264.
18. Джумабаева Б. Т., А.М.Кременецкая, Л.Н.Готман, и др. Эффективность различных программ химиотерапии, показания к хирургическому лечению и лучевой терапии при различной медиастинальной В-клеточной лимфосаркоме. *Тер. архив*, 2005, №8, С.78–81.

К разделу ЛИМФОМА БЕРКИТТА И БЕРКИТОПОДОБНЫЕ ЛИМФОСАРКОМЫ

1. Blum K.A., Lozansky G., Byrd J. Adult Burkitt's leukemia and lymphoma. *Blood*, 2004; Vol. 20 P.
2. Warnke R., Weiss L., Chan J. et al. Atlas of Tumor Pathologie. Tumors of the Lymph Nodes and Spleen, - Washington: Armed Forces Institute of Pathology, 1999. – P. 221–232.
3. Neri A., Barriga F., Knowles D.M. et al. Different regions of the immunoglobulin heavy-chain locus are involved in chromosomal translocations in distinct pathogenetic forms of Burkitt lymphoma. *Proc. Natl. Acad. Sci USA*, 1988. – Vol. – 85. – P. 2748–2752
4. Аль-Мадхажжи А.А. Автореф. канд. диссерт.: Клинические и сероэпидемиологические особенности лимфомы Беркитта в Республике Йемен. Москва, 1998г.
5. Барях Е.А., Обухова Т.Н., Звонков Е.Е., Кравченко С.К. Лимфома Беркитта: клиника, диагностика, лечение. *Гематол. трансфузиол.*, 2005; 6: 30–36.
6. Барях Е.А., Звонков Е.Е., Кременецкая А.М. и др. Лечение беркиттоподобной лимфомы взрослых. *Тер. архив*, 2005; 7: 53–58.
7. Baryakh E., Kravchenko S., Kremenetskaya A. et al. Burkitt-like lymphoma: a new treatment protocol BLL-M- 04. 11th Congress of the European Hematology Assotiation, 2006, abstract 1184.
8. Барях Е.А., Кременецкая А.М., Кравченко С.К. и др. Новый короткий высокоинтенсивный протокол терапии лимфомы Беркитта взрослых ЛБ-М-04: промежуточные результаты. *Гематол. трансфузиол*, 2006; 6: 3–8.

К разделу ПЕРВИЧНЫЕ ЛИМФАТИЧЕСКИЕ ОПУХОЛИ ОРБИТЫ

1. А.Ф. Бровкина. Болезни орбиты. М: Медицина; 1993. 60–69.
2. Nutting C.M., Jenkins C.D., Norton A.J. et al. Primary orbital lymphoma. *Hematol J*. 2002; 3: 14–16.
3. Feinstein AR, Krause AC. Ocular involvement in lymphomatous disease. *Am Arch Ophthalmol*. 1952;48:328–337.
4. C Jenkins, G E Rose, C Bunce, JE Wright et al. Histological features of ocular adnexal lymphoma (REAL classification) and their association with patient morbidity and survival. *Br J Ophthalmol* 2000;84:907–913.
5. C Auw-Haedrich, S E Coupland, A Kapp, A Schmitt-Grdf, R Buchen, H Witschel. Long term outcome of ocular adnexal lymphoma subtyped according to the REAL classification. *Br J Ophthalmol* 2001;85:63–69
6. CY Fung, NJ Tarbell, MJ Lucarelli, SI Goldberg, et al. Ocular adnexal lymphoma: clinical behavior of distinct world health organization classification subtypes. *Int. J. Radiation Oncology Biol. Phys.*, Vol. 57, No. 5, pp. 1382–1391, 2003
7. F.Charlotte, K. Doghmi, N. Cassoux et al. Ocular adnexal marginal zone B cell lymphoma: a clinical and pathologic study of 23 cases. *Virchows Arch* 2005
8. C Hon, RT Chan, ES MA, TW Shek, et al. Lymphomatous proptosis as a novel feature of mantle cell lymphoma. *Leukemia & Lymphoma*, January 2006; 47(1): 71 – 75.
9. Б.Б. Красильникова, Е.Е. Звонков, Т.Н. Обухова и др. Экстранодальная лимфома из клеток мантийной зоны с вовлечением орбиты. *Тер. архив* 2005; 7: 83–85
10. Audrey Looi, Randy D. Gascoyne, Mukesh Chhanabhai, Joseph M. Connors, Jack Rootman, Valerie A. White. Mantle Cell Lymphoma in the Ocular Adnexal Region. *Ophthalmology*. 2005 Jan; 112(1):114–9
11. Esik O, Ikeda H, Mukai K, Kaneko A. A retrospective analysis of different modalities for treatment of primary orbital non-Hodgkin's lymphomas. *Radiother Oncol*. 1996;38:13–18
12. Ping Zhou, Andrea K, Barbara Silver et al. Radiation therapy for orbital lymphoma. *Int. J. Radiation Oncology Biol. Phys.*, vol 63, No. 3, pp. 866–871, 2005
13. Е.Е. Гришина. Метастатические опухоли и неходжкинские лимфомы органа зрения. Автореф. дис. ...д-ра мед. Наук. М.; 2000
14. Ejima Y, Sasaki R, Okamoto Y, Maruta T et al. Ocular adnexal mucosa-associated lymphoid tissue lymphoma treated with radiotherapy. *Radiotherapy and oncology* 78 (2006) 6–9
15. PL Zinzani, V Stefano, G Musuraca, M Tani et al. Fludarabine-containing chemotherapy as frontline treatment of nongastrointestinal mucosa-associated lymphoid tissue lymphoma. *Cancer* 2004;100:2190–4
16. A Ferreri, M Ponzoni, G Martinelli, G Mutu et al. Rituximab in patients with mucosal-associated lymphoid tissue-type lymphoma of the ocular adnexa. *Haematologica* 2005; 90:1578-1580

К разделу ПЕРВИЧНЫЕ ЛИМФАТИЧЕСКИЕ ОПУХОЛИ ЩИТОВИДНОЙ ЖЕЛЕЗЫ

1. Muro-Cacho CA, Ku NN. Tumors of the thyroid gland: histologic and cytologic features – part 2. *Cancer Control*. 2000 Jul – Aug;7(4):377–85
2. Wirtzfeld DA, Winston JS, Hicks WL Jr, Loree TR. Clinical presentation and treatment of non-Hodgkin's lymphoma of the thyroid gland. *Ann Surg Oncol*. 2001 May;8(4):338–41.
3. Lam KY, Lo CY, Kwong DL, Lee J, Srivastava G. Malignant lymphoma of the thyroid. A 30-year clinicopathologic experience and an evaluation of the presence of Epstein-Barr virus. *Am J Clin Pathol*. 1999 Aug;112(2):263–70.
4. Thieblemont C, Mayer A, Dumontet C, et al. Primary thyroid lymphoma is a heterogeneous disease. *J Clin Endocrinol Metab*. 2002 Jan;87(1):105–11
5. Барях Е.А. Первичные лимфатические опухоли щитовидной железы в кн. Руководство по гематологии (под редакцией А.И.Воробьева), М., Ньюдиамед, Т.2: 111–113
6. Kuper-Hommel MJ, Snijder S, Jansen-Heijnen M.L. et al. Treatment and survival of patients with thyroid lymphoma: a population-based study with clinical and pathologic reviews. *Clin Lymphoma Myeloma*. 2005 Nov;6(3):240–7.
7. Sippel RS, Gauger PG, Angelos P. et al. Palliative thyroidectomy for malignant lymphoma of the thyroid. *Ann Surg Oncol*. 2002 Nov;9(9):907–11.
8. Belal AA, Allam A, Kandil A. et al. , Primary thyroid lymphoma: a retrospective analysis of prognostic factors and treatment outcome for localized intermediate and high grade lymphoma. *Am J Clin Oncol*. 2001 Jun;24(3):299–305
9. Derringer GA, Thompson LD, Frommelt RA. et al., Malignant lymphoma of the thyroid gland: a clinicopathologic study of 108 cases. *Am J Surg Pathol*. 2000 May;24(5):623–39.

К разделу ПЕРВИЧНЫЕ ЛИМФАТИЧЕСКИЕ ОПУХОЛИ ЛЕГКИХ

1. Zinzani P.L., Tani M., Gabriele A. et al. Extranodal marginal zone B-cell lymphoma of MALT-type of the lung: single center experience with 12 patients. *Leukemia & Lymphoma*, 2003; 44(5): 821–824.
 2. Chilosi M, Zinzani PL, Poletti V. Lymphoproliferative lung disorders. *Semin Respir Crit Care Med*. 2005; 26(5): 490–501.
 3. Begueret H, Vergier B, Parrens M et al. Primary Lung Small B-Cell Lymphoma versus Lymphoid Hyperplasia: Evaluation of Diagnostic Criteria in 26 Cases. *Am J Surg Pathol.*, 2002; 26(1):76–81
 4. Graham BB, Mathisen DJ, Mark EJ, Takvorian RW. Primary pulmonary lymphoma. *Ann Thorac Surg.*, 2005; 80(4): 1248–53.
 5. Bienenstock J. Immunology of the lung and respiratory tract. McGraw Hill. New York, 1984; 3: 96–118.
 6. Zinzani P.L., Magagnoli M., Ascani S. et al. nongastrointestinal mucosa-associated lymphoid tissue (MALT) lymphoma : clinical and therapeutic features of 24 localized patients. *An. Oncol.*, 1997; 8: 883–886.
 7. Papis SA, Kalomenidis I, Malagari K. et al. Extranodal marginal zone B-cell lymphoma of the lung in Sjogren's syndrome patients: Reappraisal of clinical, radiological, and pathology findings. *Respir Med*. 2007; 101(1) :84–92. Epub 2006 Jun 2.
 8. King LJ, Padley SP, Wotherspoon AC, Nicholson AG. Pulmonary MALT lymphoma: imaging findings in 24 cases. *Eur Radiol*. 2000; 10(12): 1932–8.
 9. Remstein ED, Dogan A, Einerson RR et al. The incidence and anatomic site specificity of chromosomal translocations in primary extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue (MALT lymphoma) in North America. *Am J Surg Pathol*. 2006; 30(12): 1546–53.
 10. Zinzani PL, Stefoni V, Musuraca G. et al. Fludarabine-containing chemotherapy as frontline treatment of nongastrointestinal mucosa-associated lymphoid tissue lymphoma. *Cancer*. 2004; 100(10):2190–4.
 11. Rush W.L., Andriko J.A.W., Taubenberger J.K. et al. Primary anaplastic large cell lymphoma of the lung: a clinicopathologic study of five patients. *Mod. Pathol.*, 2000; 13(12): 1285–1292.
- Hwang G.L., Leung A.N., Zinck S.E., Berry G.J. Recurrent lymphoma of the lung. *J. Comput. Assist. Tomogr.*, 2005; 29(2): 228–230.

К разделу ПЕРВИЧНЫЕ ЛИМФАТИЧЕСКИЕ ОПУХОЛИ ЖЕЛУДКА

1. Glass A., Karrell L., Menck H. The national cancer database report on non-Hodgkins lymphoma. *Cancer* 1997; 80: p.2311-2320.
2. Harris NL, Jaffe ES, Diebold J, et al. The World Health Organization classification of neoplastic diseases of the hematopoietic and lymphoid tissues: report of the clinical advisory committee meeting, Airlie House, Virginia, November, 1997. *Ann Oncol*. 1999; 10:1419-1432.
3. Isaacson P, Norton A. Extranodal lymphomas. Edinburgh, London, Madrid, Melbourne, New York and Tokio: Churchill Livingstone -1994. p 1-67.
4. G. Eisen, R. Chutkan, J. Goldstein et al. Role of endoscopic ultrasonography. *Gastrointestinal endoscopy*. 2000; 52(6): 852-859.
5. Musshoff L. Klinische Stadieneinteilung der Nicht-Hodgkin-Lymphome. *Strahlentherapie* 1977; 153: 218-221.
6. Криволапов Ю.А., Леенман Е.Е. Морфологическая диагностика неходжкинских лимфом. Пособие для врачей. 2005; стр. 43-66.
7. Е.Е. Звонков, Е.А. Барях, А.У. Магомедова, С.К. Кравченко, А.М. Кременецкая, Т.Н. Обухова, И.Б. Капланс-

- кая, Р.С. Самойлова, В.А. Махиня, В.С. Шавлохов, Б.Б. Красильникова, Е.К. Егорова, К.И. Данишян. Первичное поражение желудка при беркиттоподобной лимфоме (описание клинических случаев). Терапевтический архив – 2005, № 7. Стр. 85-88.
8. Koch P, Valle F, Berdel W et al. Primary Gastrointestinal Non-Hodgkins Lymphoma: II. Combined Surgical and Conservative or Conservative Management Only in Localized Gastric Lymphoma - Results of the Prospective German Multicenter Study GIT NHL 01\92. J Clin Oncol . 2001; 19: p.3874-3883.
 9. Звонков Е.Е, Красильникова Б.Б, Махиня В.А., Капланская И.Б, Кравченко С.К, Карагюлян С.Р, Гржимоловский А.В, Кузнецов А.Н, Магомедова А.У, Шухман И.М, Барях Е.А, Гилязитдинова Е.А, Губкин А.В, Лорие Ю.Ю, Кременецкая А.М, Воробьев А.И. Первый опыт применения модифицированной программы NHL-BFM-90 у взрослых больных первичной диффузной В-крупноклеточной лимфосаркомой желудка с неблагоприятным прогнозом. Терапевтический архив – 2006, № 7. Стр. 38-46.
 10. Isaacson P., Wright DH. Malignant lymphoma of mucosa-associated lymphoid tissue: a distinctive type of B-cell lymphoma. Cancer 1983; 52: 1410-6.
 11. Ellen D, Reimstein MD, Dogan A. et al. The incidence and anatomic site specificity of chromosomal translocation in primary extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue (MALT lymphoma) in North America. Am J Surg Pathol 2006; 12: 1546-1553.
 12. Zinzani PL, Stefoni V, Musuraca G. et al. Fludarabine-containing chemotherapy as frontline treatment of nongastrointestinal mucosa-associated lymphoid tissue lymphoma. Cancer. 2004;100(10):2190-4.
 13. H. Liu, H. Ye, A. Ruskone-Fourmestreaux et al. T(11;18) is a marker for all stage gastric MALT lymphomas that will not respond to H.pylori eradication. Gastroenterology 2002; 122: 1286-1294.

К разделу ПЕРВИЧНЫЕ ЛИМФАТИЧЕСКИЕ ОПУХОЛИ ТОНКОГО КИШЕЧНИКА

1. Keung Y., Higgs V., Alberson D. et. al. Mucosa-associated lymphoid tissue (MALT) lymphoma of the jejunum and Helicobacter pylori -chance association? Leukemia and lymphoma. 2003; 8: 1413–1416.
2. Dawson I, Cornes J, Morson B. Primary malignant lymphoid tumors of the intestinal tract. Br J Surg 1961; 49: 80–89.
3. Musshoff L. Klinische Stadieneinteilung der Nicht-Hodgkin-Lymphome. Strahlentherapie 1977; 153: 218–221.
4. Filder D, Keller R, May A. et al. Capsule endoscopy in gastrointestinal lymphomas. Endoscopy 2005; 12: 1174–80.
5. Neura MR, Frey A, Kraehenduhl JP. Epithelial M cells: gateways for mucosal infection and immunization. Cell 1996; 86: 345–8.
6. Daum S., Ullrich R., Heise W. Et al. Intestinal Non-Hodgkins lymphoma: a multicenter prospective clinical study from the German study group on intestinal Non-Hodgkins lymphoma. J Clin Oncol 2003; 14: 2740–2746.
7. Криволапов Ю.А., Леенман Е.Е. Морфологическая диагностика неходжкинских лимфом. Пособие для врачей. 2005; стр. 43–95.
8. А.У. Магомедова, Е.Е. Звонков, И.Б. Капланская и соавт. Первый опыт применения программы NHL–90 при лечении диффузной В-крупноклеточной лимфосаркомы кишечника у взрослых. Гематология и трансфузиология –2004 г. т. 49. № 1. стр. 37–40.
9. Cohen S, Petryk M, Varma M. et.al. Non-Hodgkins lymphoma of mucosa-associated lymphoid tissue. The Oncologist. 2006; 11: 1100–1117.
10. Kohno S., Ohshima K., Kodama T et al. Clinicopathological analysis of 143 primary malignant lymphomas in the small and large intestines based on the new WHO classification. Histopathology. 2003; 43: 135–143.
11. Zinzani PL, Stefoni V, Musuraca G. et al. Fludarabine-containing chemotherapy as frontline treatment of nongastrointestinal mucosa-associated lymphoid tissue lymphoma. Cancer. 2004; 10: 2190–4.
12. Damaj G., Verkarre V., Delmer A. et al. Primary follicular lymphoma of the gastrointestinal tract: a study of 25 cases and a literature review. Annals of Oncology. 2003; 14: 623–629.
13. Feller A., Diebold J. Histopathology of nodal and extranodal non-hodgkins lymphomas. Springer-Verlag Berlin Heidelberg 2004. pp. 186–213.
14. Е.А. Барях, Е.Е. Звонков, А.М. Кременецкая, С.К. Кравченко, А.У. Магомедова, Т.Н. Обухова, Р.С. Самойлова, И.А. Воробьев, И.Б. Капланская, Т.Н. Моисеева, Е.Е. Зыбунова, Ю.Ю. Лорие, Н.Г. Чернова, Д.С. Марьин, Е.К. Егорова, Б.Б. Красильникова, Н.Г. Габеева, А.И. Воробьев. Лечение беркиттоподобной лимфомы взрослых. Терапевтический архив – 2005, № 7. Стр. 53–58.
15. Al-Toma A, Goerres MS, Meijer JW et al. Cladribine therapy in refractory celiac disease with aberrant T cells. Clin Gastroenterol Hepatol. 2006; 11: 1322–7.
16. Al-toma A., Visser O.J. Roessen H.M. et al. Autologous hematopoietic stem cell transplantation in refractory celiac disease with aberrant T-cells. Blood. 2006 Oct 26; [Epub ahead of print].

К разделу ПЕРВИЧНЫЕ ЛИМФАТИЧЕСКИЕ ОПУХОЛИ ТОЛСТОГО КИШЕЧНИКА

1. Okada M., Maeda K., Suzumiya J. Et. al. Primary colorectal T-cell lymphoma. J Gastroenterol 2003; 38: 376–384. Kumar S, Fend F, Quintanilla-Martinez L, et al.: Epstein-Barr virus-positive primary gastrointestinal Hodgkin's disease. Am J Surg Pathol 2000; 24: 66–73.
2. Kodama T., Ohshima K., Nomura K et. al. Lymphomatous polyposis of the gastrointestinal tract, including mantle cell

lymphoma, follicular lymphoma and mucosa-associated lymphoid tissue lymphoma. *Histopathology*. 2005; 47: 467–478.

3. Musshoff L. Klinische Stadieneinteilung der Nicht-Hodgkin-Lymphome. *Strahlentherapie* 1977; 153: 218–221.
4. Gavioli M., Bagni A., Santacrose G. et al. Endorectal sonographic appearances of rectal MALT lymphoma, its response to therapy, and local recurrence. *J Clin Ultrasound*. 2001; 7: 401–405.
5. Hall C., Shamma M. Primary intestinal lymphoma complicating Crohn's disease. *J Clin Gastroenterol* 2003; 36(4): 332–336.
6. Wong M., Eu K. Primary colorectal lymphomas. *Colorectal disease*. 2006; 8: 586–591.
7. Cornes JS. Multiple lymphomatous polyposis of the gastrointestinal tract. *Cancer*. 1961; 142: 49–57.
8. Криволапов Ю.А., Леенман Е.Е. Морфологическая диагностика неходжкинских лимфом. Пособие для врачей. АЛМАТЫ 2005; стр. 43–95.
9. Fan WC., Changchien CR., Wang JY. et al. Primary colorectal lymphoma. *Dis Colon Rectum* 2000; 43: 1208–17.
10. Е.А. Барях, Е.Е. Звонков, А.М. Кременецкая, С.К. Кравченко, А.У. Магомедова, Т.Н. Обухова, Р.С. Самойлова, И.А. Воробьев, И.Б. Капланская, Т.Н. Моисеева, Е.Е. Зыбунова, Ю.Ю. Лорие, Н.Г. Чернова, Д.С. Марьин, Е.К. Егорова, Б.Б. Красильникова, Н.Г. Габеева, А.И. Воробьев. Лечение беркиттоподобной лимфомы взрослых. Терапевтический архив – 2005, № 7. Стр. 53–58.

К разделу ПЕРВИЧНЫЕ ЛИМФАТИЧЕСКИЕ ОПУХОЛИ ПОДЖЕЛУДОЧНОЙ ЖЕЛЕЗЫ

1. Ezzat A., Jamshed A., Khafaga Y., et al. Primary pancreatic non-Hodgkin's lymphomas. *J Clin Gastroenterol* 1996; 23: 109–12.
2. Saif M. Primary pancreatic lymphomas. *JOP*. 2006; 7(3): 262–273.
3. Harrison JL., Millikian KW, Prinz RA., et al. Endoscopic ultrasound for diagnosis and staging of pancreatic tumors. *Am Surg* 1999; 65: 659–64.
4. Flamenbaum M, Pujol B, Souquet JC., et al. Endoscopic ultrasonography of a pancreatic lymphoma. *Endoscopy*. 1998; 30: 43.
5. Volmar K., Roubort M., Jounes K., et al. Primary pancreatic lymphoma evaluated by fine-needle aspiration. *Am J Clin Pathol* 2004; 121: 898–903.
6. Wang YJ., Jeng CM., Wang YC., et al. Primary pancreatic Burkitt's lymphoma mimicking carcinoma with obstructive jaundice and very high CA19-9. *Eur J Gastroenterol Hepatol*. 2006; 18(5): 537–40.
7. Cohen Y., Libster D., Amir G. et al. Primary ALK positive anaplastic large cell lymphoma of the pancreas. *Leukemia and Lymphoma*. 2003; 44(1): 205–207.
8. Benning TL., Silverman JF., Berns LA, et al. Fine needle aspiration of metastatic and hematologic malignancies clinically mimicking pancreatic carcinoma. *Acta Cytol*. 1992; 36: 471–476.
9. Breccia M., D'Andrea M., Mengarelli A. et al. Granulocytic sarcoma of the pancreas successfully treated with intensive chemotherapy and stem cell transplantation. *Eur J Haematol*. 2003; 70: 190–192.
10. Grimson PS., Chin MT., Harrison ML., et al. Primary pancreatic lymphoma-pancreatic tumors that are potentially curable without resection, retrospective review of four cases. *BMC Cancer*. 2006; 4(6): 117.

К разделу ПЕРВИЧНЫЕ ЛИМФАТИЧЕСКИЕ ОПУХОЛИ ПЕЧЕНИ

1. Page RD, Romaguera JE., Medeiros LJ., et al. Primary hepatic lymphoma. *Cancer* 2001; 92: 2023–2029.
2. Caccamo D., Pervez NK., Marchevsky A. Primary hepatic lymphoma in the acquired immunodeficiency syndrome. *Arch Pathol Lab Med* 1986; 110: 553–5.
3. Kitabayashi K., Hasegawa., Ueno K., et. al. Primary hepatic non-Hodgkin's lymphoma in patient with chronic hepatitis C: report of a case. *Surg Today*. 2004; 34: 366–369.
4. Edgargo S., Santos MD., Luis E., et al. Primary hepatic non-Hodgkin's lymphomas: case report and review of literature. *Am J Gastroenterol*. 2003; 12: 2789–2793.
5. Bronowicki J., Bineau C., Feugier P., et al. Primary lymphoma of the liver: clinical-pathological features and relationship with HCV infection in French patients. *Hepatology* 2003; 4: 781–787.
6. Wolf-Peeters C., Achten R. гд T-cell lymphomas: a homogeneous entity? *Histopathology*. 2000; 36: 294–305.
7. Page R., Romaguera J., Osborne B., et al. Primary hepatic lymphoma. Favorable outcome after combination chemotherapy. *Cancer*. 2001; 8: 2023–2029.

К разделу ПЕРВИЧНЫЕ ЛИМФАТИЧЕСКИЕ ОПУХОЛИ ЯИЧНИКОВ

1. Trenhaile T.R., Killackey M.A. Primary pelvic Non—Hodgkin lymphoma. *Obstet. Gynecol.*, 2001; 97 (5 Pt 1): 717–720.
2. Niitsu N, Nakamine H, Hayama M. et al. Ovarian follicular lymphoma: a case report and review of the literature. *Ann Hematol*. 2002 Nov;81(11):654–8. Epub 2002 Oct 12.
3. Vang R, Medeiros LJ, Warnke RA, Higgins JP, Deavers MT. Ovarian non-Hodgkin's lymphoma: a clinicopathologic study of eight primary cases. *Mod Pathol*. 2001 Nov;14(11):1093–9.
4. Tang QL, Yang KZ, Liu WP. Et al. A clinicopathologic analysis of primary ovarian non-Hodgkin's lymphoma. *Sichuan Da Xue Xue Bao Yi Xue Ban*. 2006 Jul;37(4):641–3, 655.

5. Ayhan A, Guvenal T, Salman MC et al. The role of cytoreductive surgery in nongenital cancers metastatic to the ovaries. *Gynecol Oncol* 2005; 98(2): 235–41.
6. Vang R, Medeiros LJ, Warnke RA et al. Ovarian non-Hodgkin's lymphoma: a clinicopathologic study of eight primary cases. *Mod Pathol* 2001; 14(11): 1093–9.
7. Барях Е.А. Диагностика и лечение лимфомы Беркитта. Автореф. Диссер. Канд. Мед. наук, 2007 г.
8. Baloglu H., Turken O., Turuncu L., Kizilkaya E. 24-year-old female with amenorrhea: bilateral primary ovarian Burkitt lymphoma. *Gynecol. Oncol.*, 2003 Nov.; 91(2): 449–51
9. Mukhtar A.U., Mugerwa B. Burkitt's lymphoma of the ovary. *Cent. Afr. J. Med.*, 1999, Apr; 45(4): 104–5.
10. Барях Е.А., Кременецкая А.М., Кравченко С.К. и др. Новый короткий высокоинтенсивный протокол терапии беркиттоподобной лимфомы взрослых БПЛ-М-04: промежуточные результаты. *Гематол. трансфузиол.*, 2006; 6: 3–11.

К разделу ПЕРВИЧНЫЕ ЛИМФАТИЧЕСКИЕ ОПУХОЛИ МАТКИ

1. Yamada N, Uchida R, Fuchida S et al. CD5+ Epstein-Barr virus-positive intravascular large B-cell lymphoma in the uterus co-existing with huge myoma. *Am J Hematol* 2005; 78: 221–4.
2. Gaffan J, Herbertson R, Davis P et al. Bilateral peripheral T-cell lymphoma of the fallopian tubes. *Gynecol Oncol* 2004; 95(3): 736–8.
3. Van Renterghem N, De Paepe P, Van den Broecke R et al. Primary lymphoma of the cervix uteri: a diagnostic challenge. Report of two cases and review of the literature. *Eur J Gynaecol Oncol* 2005; 26(1): 36–8.
4. Hamadani M, Kharfan-Dabaja M, Kamble R, Kern W, Ozer H. Marginal zone B-cell lymphoma of the uterus: a case report and review of the literature. *J Okla State Med Assoc.* 2006 Apr;99(4):154–6
5. Garavaglia E, Taccagni G, Montoli S, et al. Primary stage I–II non-Hodgkin's lymphoma of uterine cervix and upper vagina: evidence for a conservative approach in a study on three patients. *Gynecol Oncol.* 2005 Apr;97(1):214–8
6. Trenhaile T.R., Killackey M.A. Primary pelvic Non—Hodgkin lymphoma. *Obstet. Gynecol.*, 2001; 97 (5 Pt 1): 717–720.
7. Quattrini M, Nonno F, Pacetti U et al. Rapid modification of aggressiveness of a primary non-Hodgkin lymphoma of uterine cervix. *Exp Clin Cancer Res* 2003; 22(4): 633–5.
22. Chan JK, Loizzi V, Magistris A et al. Clinicopathologic features of six cases of primary cervical lymphoma. *Am J Obstet Gynecol* 2005; 193(3): 866–72.

К разделу ПЕРВИЧНЫЕ ЛИМФАТИЧЕСКИЕ ОПУХОЛИ ПОЧЕК

1. Cupisti A., Riccioni R., Carulli G. et al. Bilateral primary renal lymphoma treated by surgery and chemotherapy. *Neuphol. Dial. Transplant.*, 2004; 19(6): 1629-1633.
2. Da'as N, Polliak A, Cohen Y et al. Kidney involvement and renal manifestations in non-Hodgkin's lymphoma and lymphocytic leukemia: a retrospective study in 700 patients. *Eur J Haematol* 2001; 67: 158–64.
3. O'Riordan, Reeve R., Houghton J.B. et al. Primary bilateral T-cell renal lymphoma resending with sudden loss of renal function. *Neuphol. Dial. Transplant.*, 2004; 16: 1487-1489.
4. Castellano I., Hernandez M.T., Gomez-Martino J.R., Covarsi A. Et all. Acute renal failure as presentation of a Burkitt's lymphoma. *Am. J. Kidney Dis.*, 2000 Dec; 36(6): E32.
5. Urban. B.A., Fishman E.K. Renal lymphoma: CT Patterns with emphasis on helical CT. *RadioGraphics*, 2000; 20: 197-212.
6. Barreto F., Dall'Oglio M.F., Stroggi M. Renal lymphoma. Atypical presentation of a renal tumor. *Int. Braz. J. Urol.*, 2006; 32(2): 190-192.

К разделу ПЕРВИЧНЫЕ ЛИМФАТИЧЕСКИЕ ОПУХОЛИ ЯИЧКА

1. Petrescu A, Dobrea C, Vasilica M, Andrei F, Niculescu L. Primary malignant lymphoma of the testis. *Rom J Morphol Embryol.* 2005;46(2):83-6.
2. Тумян Г.С., Ковригина А.М., Тимофеева О.Л. и др. Особенности клинического течения и прогноз больных неходжкинской лимфомой с первичной локализацией в яичке.
3. Azua-Romeo J, Alvarez-Alegret R, Serrano P, Mayayo E. Primary anaplastic large cell lymphoma of the testis. *Int Urol Nephrol.* 2004;36(3):393-6.
4. Kim YB, Chang SK, Yang WI, et al. Primary NK/T cell lymphoma of the testis. A case report and review of the literature. *Acta Haematol.* 2003; 109(2): 95-100.
5. Jacobsen E., Lomo L., Briccetti F., Longtine J., Freedman A. Follicular lymphoma with bilateral testicular and epididymal involvement : case report and review of the literature. *Leukemia & Lymphoma*, 2005; 46(11): 1663-1666.
6. Koksai Y, Yalcin B, Uner A et al., Primary testicular Burkitt lymphoma in a child. *Pediatr Hematol Oncol.* 2005 Dec;22(8):705-9.
7. Wallace DJ, Altemare CR, Shen DF et al. Primary testicular and intraocular lymphomas: two case reports and a review of the literature. *Surv. Ophthalmol.* 2006; 51(1): 41-50.
8. Darby S., Hancock BW. Localised non-Hodgkin lymphoma of the testis: the Sheffield Lymphoma Group experience. *Int J Oncol.* 2005 Apr;26(4):1093-9.

9. Seymour JF, Solomon B, Wolf MM et al. Primary large-cell non-Hodgkin's lymphoma of the testis: a retrospective analysis of patterns of failure and prognostic factors. *Clin Lymphoma* 2001; 2(2): 109–15.
10. Yang JL, Shi YK, He XH et al. Clinical and pathological features of 23 patients with primary lymphoma of the testis. *Zhonghua Zhong Liu Za Zhi*. 2003 Sep;25(5):498-500.
11. Aviles A, Neri N, Huerta-Guzman J, Perez F, Fernandez R. Testicular lymphoma: organ-specific treatment did not improve outcome. *Oncology*. 2004;67(3-4):211-4.

К разделу ЛИМФОГРАНУЛЕМАТОЗ И САРКОМА ХОДЖКИНА

1. Манкин З.В. Лимфогранулематоз. М.–Л, 1983
2. Каверзнева М.М. Лимфогранулематоз в кн. Руководство по гематологии под ред. Воробьева А.И. М., Ньюдиамед, 2002; Т2: стр. 131–151.
3. Кременецкая А.М., Воробьев А.И., Харазишвили Д.В. и др. Гигантоклеточные лимфосаркомы или варианты формы лимфогранулематоза. *Тер. Архив*, 2002; 7: 48–52
4. Sieber M, Bredenfeld H, Josting A. et al., 14–day variant of the bleomycin, etoposide, doxorubicin, cyclophosphamide, vincristine, procarbazine, and prednisone regimen in advanced-stage Hodgkin's lymphoma: results of a pilot study of the German Hodgkin's Lymphoma Study Group. *J Clin Oncol*. 2003 May 1;21(9):1734–9.
5. Carde P, Cavalli F, Diehl V, Franklin J. Is escalated BEACOPP a standard therapy for advanced Hodgkin's disease? *Hematol J*. 2000;1(4):282–90.
6. Josting A, Rueffer U, Franklin J. et al. Prognostic factors and treatment outcome in primary progressive Hodgkin lymphoma: a report from the German Hodgkin Lymphoma Study Group. *Blood*. 2000 Aug 15;96(4):1280–6.

К разделу Т-КЛЕТОЧНЫЕ ЗРЕЛОКЛЕТОЧНЫЕ ЛЕЙКОЗЫ/ДИССЕМИНИРОВАННЫЕ ЛИМФОМЫ

1. Jaffe ES, Harris NL, Stein H, Vardiman J. Pathology and Genetics of Tumours of Haematopoietic and Lymphoid Tissues. Lyon, France: IARC Press; 2001.
2. Savage KJ, Chhanabhai M, Gascoyne RD, Connors JM. Characterization of peripheral T-cell lymphomas in a single North American institution by the WHO classification. *Ann Oncol*. 2004;15:1467-1475.
3. Matutes E, Garcia Talavera J, O'Brien M, Catovsky D: The morphological spectrum of T-prolymphocytic leukaemia. 1986 *Br J Haematol* 64:111-115
4. Воробьев АИ, Бриллиант МД. Кн.: Руководство по гематологии, под ред. АИ Воробьева, М. Медицина, 1985, 1: 273-290
5. Dearden CE, Matutes E, Catovsky D. Alemtuzumab in T-cell malignancies. *Med Oncol*. 2002;19 Suppl:S27-32.
6. Mercieca J, Matutes E, Dearden C et al. The role of pentostatin in the treatment of T-cell malignancies: analysis of response rate in 145 patients according to disease subtype. *J Clin Oncol* 1994;12:2588–2593.
7. Osuji N, Del Giudice I, Matutes E et al. CD52 expression in T-cell large granular lymphocyte leukemia—implications for treatment with alemtuzumab. *Leuk Lymphoma* 2005;46:723–727.
8. Awasthi S, Sharma A, Wong K, Zhang J, Matlock EF, Rogers L, Motloch P, Takemoto S, Taguchi H, Cole MD, Luscher B, Dittrich O, Tagami H, Nakatani Y, McGee M, Girard AM, Gaughan L, Robson CN, Monnat RJ Jr, Harrod R. A human T-cell lymphotropic virus type 1 enhancer of Myc transforming potential stabilizes Myc-TIP60 transcriptional interactions. *Mol Cell Biol*. 2005 Jul;25(14):6178-98.

К разделу ПЕРИФЕРИЧЕСКИЕ Т-КЛЕТОЧНЫЕ НОДАЛЬНЫЕ ЛИМФОМЫ

1. Laurie H. Sehn Optimal Use of Prognostic Factors in Non-Hodgkin Lymphoma *Hematology* 2006 295-302
2. Kim K, Kim WS, Jung CW, Im YH, Kang WK, Lee MH, Park CH, Ko YH, Ree HJ, Park K. Clinical features of peripheral T-cell lymphomas in 78 patients diagnosed according to the Revised European-American lymphoma (REAL) classification. *Eur J Cancer*. 2002 Jan;38(1):75-81.
3. Kahl C, Leithauser M, Wolff D et al. Treatment of peripheral T-cell lymphomas (PTCL) with high-dose chemotherapy and autologous or allogeneic hematopoietic transplantation. *Ann Hematol* 2002; 81: 646–650.
4. Rodriguez J, Munsell M, Yazji S et al. Impact of high-dose chemotherapy on peripheral T-cell lymphomas. *J Clin Oncol* 2001; 19: 3766–3770.
5. Blystad AK, Enblad G, Kvaloy S, Berglund A, Delabie J, Holte H, Carlson K, Kvalheim G, Bengtsson M, Hagberg H. High-dose therapy with autologous stem cell transplantation in patients with peripheral T cell lymphomas. *Bone Marrow Transplant* 2001 Apr;27(7):711-6
6. Santini Г, Nati S, Spriano M., Gallamini A, Пьерлуиджи Д, Congiu AM, Truini M., Rubagotti A, Chisesi T, Vimercati R, Rossi E, Sertoli Г., Маттеи Д, Marino Г, Gobbi M. Fludarabine in combination with cyclophosphamide or with cyclophosphamide plus mitoxantrone for relapsed or refractory low-grade non-Hodgkin's lymphoma. *Haematologica*. 2001 Mar;86(3):282-6.
7. Weidmann E, Boehrer S, Chow KU, Engels K, Harder L, Hinz T, Janssen O, Kriener S, Rummel MJ, Siebert R, Kabelitz D, Hansmann ML, Hoelzer D, Mitrou PS; The Study Group Peripheral T- and NK-Cell Neoplasias. Treatment of aggressive, or progressing indolent peripheral T- and NK-cell neoplasias by combination of fludarabine, cyclophosphamide and doxorubicine. *Onkologie* 2001 Apr;24(2):162-4

8. Yamaguchi M, Kotani T, Nakamura Y, Ueda M. Successful treatment of refractory peripheral T-cell lymphoma with a combination of fludarabine and cyclophosphamide. *Int J Hematol.* 2006 Jun;83(5):450-3.
9. Dupuis J, Boye K, Martin N, et al. Expression of CXCL13 by neoplastic cells in angioimmunoblastic T-cell lymphoma (AITL): a new diagnostic marker providing evidence that AITL derives from follicular helper T cells. *Am J Surg Pathol.* 2006;30:490-494.
10. Tsuchiya T, Ohshima K, Karube K et al. Th1, Th2, and activated T-cell marker and clinical prognosis in peripheral T-cell lymphoma, unspecified: comparison with AILD, ALCL, lymphoblastic lymphoma, and ATLL. *Blood* 2004; 103: 236–241.
11. Attygalle A, Al-Jehani R, Diss TC, et al. Neoplastic T cells in angioimmunoblastic T-cell lymphoma express CD10. *Blood.* 2002;99:627-633. Grogg KL, Attygalle AD, Macon WR, Remstein ED, Kurtin PJ, Dogan A. Angioimmunoblastic T-cell lymphoma: a neoplasm of germinal-center T-helper cells? *Blood.* 2005;106:1501-1502.
12. Quintini G, Iannitto E, Barbera V, Turri D, Franco V, Florena AM, Mariani G. Response to low-dose oral methotrexate and prednisone in two patients with angio-immunoblastic lymphadenopathy-type T-cell lymphoma. *Hematol J* 2001;2(6):393-5
13. Jaffe ES. Anaplastic large cell lymphoma: the shifting sands of diagnostic hematopathology. *Mod Pathol.* 2001;14:219-228.
14. ten Berge RL, Oudejans JJ, Ossenkoppele GJ, Meijer CJ. ALK-negative systemic anaplastic large cell lymphoma: differential diagnostic and prognostic aspects—a review. *J Pathol* 2003; 200: 4–15.
15. Stein H, Foss HD, Durkop H, Marafioti T, Delsol G, Pulford K, Pileri S, Falini B. CD30(+) anaplastic large cell lymphoma: a review of its histopathologic, genetic, and clinical features. *Blood* 2000 Dec 1;96(12):3681-95
16. Awaya N, Mori S, Takeuchi H, Mori S, Sugano Y, Kamata T, Takeuchi T, Abe T. CD30 and the NPM-ALK fusion protein (p80) are differentially expressed between peripheral blood and bone marrow in primary small cell variant of anaplastic large cell lymphoma. *Am J Hematol* 2002 Mar;69(3):200-4
17. Zinzani PL, Martelli M, Magagnoli M, et al. Anaplastic large cell lymphoma Hodgkin's-like: a randomized trial of ABVD versus MACOP-B with and without radiation therapy. *Blood.* 1998;92:790-794.
18. Fanin R, Ruiz de Elvira MC, Sperotto A et al. Autologous stem cell transplantation for T and null cell CD30-positive anaplastic large cell lymphoma: analysis of 64 adult and paediatric cases reported to the European Group for Blood and Marrow Transplantation (EBMT). *Bone Marrow Transplant* 1999; 23: 437–442.
19. Ю.Е. Виноградова, И.Н. Луценко, А.М. Кременецкая, И.Б. Капланская, Р.С. Самойлова, Т.Т. Валиев, Е.А. Гилязитдинова, А.В. Губкин, У.Л. Джулакан, О.В. Марголин, С.К. Кравченко. Предварительная оценка эффективности лечения анаплазированных Т/0 крупноклеточных лимфосарком. *Пробл. Гематол.*, 2006 №1, с 18.
20. Gascoyne RD, Aoun P, Wu D et al. Prognostic significance of anaplastic lymphoma kinase (ALK) protein expression in adults with anaplastic large cell lymphoma. *Blood* 1999; 93: 3913–3921.
21. Morris SW, Kirstein MN, Valentine MB et al. Fusion of a kinase gene, ALK, to a nucleolar protein gene, NPM, in non-Hodgkin's lymphoma [letter]. *Science* 1995; 267: 316–317.

К разделу ЭКСТРАНОДАЛЬНЫЕ Т/НК-КЛЕТОЧНЫЕ ЛИМФОМЫ КОЖИ

1. Jaffe ES, Harris NL, Stein H, Vardiman JW (Eds). *World Health Organization Classification of Tumors: Pathology and Genetics of Tumours of Hematopoietic and Lymphoid Tissues.* Lyon, France: IARC Press;2001.
2. Rosen ST and Querfeld C Primary Cutaneous T-Cell Lymphomas *Hematology* 2006 323-329
3. Воробьев АИ, Бриллиант МД. Кн.: Руководство по гематологии, под ред. АИ Воробьева, М. Медицина, 1985, т.1 с 329- 335.
4. Massone C, Kodama K, Kerl H, Cerroni L. Histopathologic features of early (patch) lesions of mycosis fungoides: a morphologic study on 745 biopsy specimens from 427 patients. *Am J Surg Pathol.* 2005; 29:550-560.
5. Fink-Puches R, Zenahlik P, Baeck B, Smolle J, Kerl H, Cerroni L. Primary cutaneous lymphomas: applicability of current classification schemes (European Organization for Research and Treatment of Cancer, World Health Organization) based on clinicopathologic features observed in a large group of patients. *Blood.* 2002; 99: 800-805.
6. Ю.Е. Виноградова, Е.А. Гилязитдинова, И.А. Замулаева и соавт. Клинико-морфологические особенности болезни Сезари и грибовидного микоза. - *Тер. Архив.* -2005. - №10. - с. 61-65.
7. Bogen, S.A., Pellcy, D., Charif, M., et til., (1996) "Immunophenotypic identification of Sezary cells in peripheral blood", *Am. J. Clin. Pathol.* 106, 739-748.
8. Curco, N., Servitje, O., Lluca, M., et al., Genotypic analysis of cutaneous T-cell lymphoma: a comparative study of Southern blot analysis with polymerase chain reaction amplification of the T-cell receptor-gamma gene", *Br. J. Dermatol.* 1997, 137, 673-679.
9. Wilson LD, Jones GW, Kim D, et al. Experience with total skin electron beam therapy in combination with extracorporeal photopheresis in the management of patients with erythrodermic (T4) mycosis fungoides. *J Am Acad Dermatol.* 2000;43:54-60.
10. Querfeld C, Rosen ST, Kuzel TM, et al. Long-term follow-up of patients with early-stage cutaneous T-cell lymphoma who achieved complete remission with psoralen plus UV-A monotherapy. *Arch Dermatol.* 2005;141:305-311.
11. Kuzel, TM, Roenigk HH, Jr, Samuelson E, et al. Effectiveness of interferon alfa-2a combined with phototherapy for mycosis fungoides and the Sïzary syndrome. *J Clin Oncol.* 1995;13:257-263.

12. Knobler R, Girardi M. Extracorporeal photochemotherapy in cutaneous T cell lymphomas. *Ann N Y Acad Sci.* 2001 Sep;941:123-38.
13. Dearden CE, Matutes E, Catovsky D. Alemtuzumab in T-cell malignancies. *Med Oncol* 2002;19 Suppl:S27-32.
Kadin ME, Carpenter C. Systemic and primary cutaneous anaplastic large cell lymphomas. *Semin Hematol* 2003; 40: 244–256.

К разделу БОЛЕЗНЬ КАСТЛЕМАНА

1. Castleman B, Towne V. Presentation of a case (N40011). *NEJM*, 1954; 250 (7): 26 – 30.
2. Keller AR, Hochholzer L, Castleman B. Hyaline-vascular and plasma-cell types of giant lymph node hyperplasia of the mediastinum and other locations. *Cancer.* 1972 Mar;29(3):670-83.
3. Малыгин Е.Н. Ангиофолликулярная лимфома – клиника, диагностика, лечение. Дис. На соиск. уч. ст. к.м.н. Москва, 1978 г.
4. Меликян А.Л., Капланская И.Б., Корнева Е.П., Франк Г.А. Болезнь Кастлемана. *Тер Арх* 2005;77(7):48-53.
5. Гласко Е.Н., Капланская И.Б., Лукина Е.А. Ангиофолликулярная гиперплазия лимфатических узлов. *Арх. патол* 1986:51 – 55
6. Menke DM, Tiemann M, Camoriano JK, Chang SF, Madan A, Chow M, Habermann TM, Parwaresch R: Diagnosis of Castleman's disease by identification of an immunophenotypically aberrant population of mantle zone B lymphocytes in paraffin-embedded lymph node biopsies. *Am J Clin Pathol* 1996, 105:268-276.

К разделу БОЛЕЗНЬ РОЗАИ ДОРФМАНА (СИНУСНЫЙ ГИСТИОЦИТОЗ С МАССИВНОЙ ЛИМФАДЕНОПАРИЕЙ)

1. Rosai J, Dorfman RF. Sinus histiocytosis with massive lymphadenopathy: a newly recognized benign clinicopathological entity. *Arch Pathol* 1969;87:63–70.
2. Paulli M, Bergamaschi G, Tonon L. et al. Evidence for a polyclonal nature of the cell infiltrate in sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman disease). *Br J Haematol* 1995;91:415–418.
3. Levine PH, Jahan N, Murari P, Manak M, Jaffe ES. Detection of human herpesvirus 6 in tissues involved by sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman disease). *J Infect Dis.* 1992;166:291–295.
4. Luppi M, Barozzi P, Garber R, et al. Expression of human herpesvirus-6 antigens in benign and malignant lymphoproliferative diseases. *Am J Pathol.* 1998;153:815–823.
5. Foucar E, Rosai J, Dorfman R. Sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman disease): review of the entity. *Semin Diagn Pathol* 1990;7:19–73.
6. Quaglino P, Tomasini C, Novelli M, Colonna S, Bernengo MG. Immunohistologic findings and adhesion molecule pattern in primary pure cutaneous Rosai-Dorfman disease with xanthomatous features. *Am J Dermatopathol* 1998;20:393–398.